Sika[®] Cleaner PCA

Cleaning pad and primer applicator

Technical Product Data

1 Common 1 Todact Bata	
Base	Open pours, expanded melamine resin
Color	Light grey
Density	9.5 kg/m ³ approx.
Application method	
 Removal of contamination 	Dry scrub or wet scrub with Sika® CleanGlass
Shelf life	36 months

Description

Sika[®] Cleaner PCA is a smart cleaning pad based on melamine foam. It is used for removal of contamination or cleaning of windshields and other surfaces.

Areas of Application

Sika[®] Cleaner PCA is designed for the removal of contamination on ceramic frits or glass. It can also be used for the removal of label residues and other kinds of pollution and the application of Sika[®]Primer pre-treatments.

Method of Application

Removal of contamination from windshields:

Use Sika[®] CleanGlass or an equivalent non antistatic glass cleaner to wet the surface and detect contamination. Use Sika[®] Cleaner PCA and start scrubbing the bond area. Sika[®] Cleaner PCA is designed for single use application only.

Surfaces must be allowed to dry completely before the next step in surface preparation is performed. This product is to be used by pro-

This product is to be used by professional experienced technicians only.



Important Note

Compatibility with the current substrate is to be verified prior to the application. Before applying Sika® Cleaner PCA to sensitive surfaces (e.g. plastics, etc.) it is recommended to test Sika® Cleaner PCA on a small, possibly non-visible area of the base material.

Before application of adhesive, the surface has to be pre-treated according to Sika's surface preparation recommendations.

Further Information

Copies of the following publications are available on request:

- Windshield Installation Guide

Packaging Information

Value Bases

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

Health and Safety Information

For information and advice regarding transportation, handling, storage and disposal of chemical products, users shall refer to the actual Safety Data Sheets containing physical, ecological, toxicological and other safety-related data.

Legal Notes

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Further information available at: www.sika.ch www.sika.com

Sika Schweiz AG Business Unit Industry Tüffenwies 16 CH-8048 Zurich Switzerland Tel. +41 58 436 40 40 Fax +41 58 436 55 30





