



Technical Data Sheet

Effective: 18/09/2019 Supersedes: 01/07/2019

Technical Data Sheet Automotive Aftermarket Division

3M™ Woodgrain and Stripe Remover and Adhesive Remover

1) Part Numbers

3M™ Woodgrain and Stripe Adhesive Remover, 18 fl oz / 710 ml, PN08908

3M™ Woodgrain and Stripe Remover, 18 fl oz / 710 ml, PN08907

2) Description and end uses

These products are designed to remove adhesive residue after the vinyl woodgrain or vinyl stripe has been removed. The products can be applied to baked on paints such as acrylic enamel and base-coat clear-coats.

3) Physical Properties

Container	710ml aerosol can
Colour	White
Flash point	<10°C
Consistency	Soft Gel
Solvent	Petroleum Distillates and Alcohol (08908) MEK and petroleum distillates (08907)
Propellant	Hydrocarbon

4) Directions for Use

1. Shake well before using.
2. Apply in shade with the air temperature of at least 16°C
3. Do not apply to surfaces above 32°C.
4. Apply in a criss-cross slow application to adhesive residue.
5. Allow solvent to work 1-2 minutes.



Technical Data Sheet

Effective: 18/09/2019 Supersedes: 01/07/2019

6. Wipe adhesive away using a clean soft cloth.

5) Storage

Store at room temperature. Rotate stock on a “first-in-first-out” basis. When stored at the recommended conditions in original, unopened containers, this product has a shelf life of 24 months (08908) and 12 months (08907). Use in a well-ventilated area.

6) Safety

Whenever possible, this product should be used in a well-ventilated area and suitable PPE should always be worn.

3M™ Woodgrain and Stripe Remover and 3M™ Woodgrain and Stripe Adhesive Remover are designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable as at the date of hereof, but the accuracy or completeness thereof is not guaranteed. Please ensure before using the product that it is suitable for your intended use. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, other than for fraudulent misrepresentation, 3M expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.



Technical Data Sheet

Effective: 18/09/2019 Supersedes: 01/07/2019

For Additional Health and Safety Information

3M United Kingdom plc Automotive Aftermarket 3M Centre, Cain Road, Bracknell, RG12 8HT Tel: +44 (0)161 237 6391 aadenquiries.uk@mmm.com www.3Mbodyshop.co.uk	3M Ireland Limited Automotive Aftermarket The Iveagh Building The Park Carrickmines Dublin 18 Tel: +353 12160301 aadenquiries.uk@mmm.com www.3Mbodyshop.co.uk	3M Denmark a/s Automotive Aftermarket Hannemanns Allé 53 2300 København S Tel: +45 43480100 3mkundeservicedk@mmm.com www.3MAuto.dk
3M Finland, Suomen 3M Oy Automotive Aftermarket Keilaranta 6 02150 Espoo Tel: 09 5252 1 tilaukset@mmm.com www.3M.fi/autotuotteet	3M Svenska AB Automotive Aftermarket Bileftermarknad 19189 Sollentuna Tel: 08-922100 kundservice@mmm.com www.3M.se/bileftermarkad	3M Norge AS Automotive Aftermarket Kanalveien 2 2004 Lillestrøm Tel: 06384 kundeservice@mmm.com www.3m.no/auto
3M Latvija K.Ulmana 5 Riga, LV-1004 Tel: +371 67066120 www.3m.lv	3M Eesti OU Pärnu mnt. 158 11317 Tallinn Tel: +372 6 115 902 www.3m.ee	3M Lietuva A.Goštauto str. 40 A LT-01112 Vilnius Tel: +370 5 2160780 www.3m.lt

© 3M 2019. 3M is a trademark of the 3M company. All rights reserved